



Dach und Fassade aus Fiberglas
Roofing and cladding of glassfibre

THE ENERGY SAVING FACADE

robust · durable · versatile



Design in form and colour




ZF ZIERER Scalloped tile gable brown



ZF ZIERER Terra stone grey




ZF ZIERER Rendered tile pastel grey




**Hail-proof.
As weather protection
and for „energy-based
facade renovation“**

Rear-ventilated **ZIERER** facades guarantee a healthy living climate (no mould growth).
In physical terms, they represent the ideal solution for your facade renovation.
A facade renovated according to the German Energy Savings Ordinance (EnEV) ensures significant savings in terms of heating costs and protects the environment thanks to a lower CO2 emission.
Thanks to our patented connection system between the elements, the insulating material remains dry and functional on a long-term basis.


Product



Terra stone grey




Scalloped tile anthracite



Rendered tile pastel green

Colour range



- 1) = stone grey
- 2) = brick red
- 3) = terracotta
- 4) = structure sand
- 5) = anthracite
- 6) = pastel grey




- 1) = anthracite
- 2) = brown
- 3) = pastel grey
- 4) = stone grey




- 1) = pastel green
- 2) = pastel grey
- 3) = yellow
- 4) = pastel yellow
- 5) = white
- 6) = beige
- 7) = strong yellow

The modern geometric forms and interesting colours of our **FACADE ELEMENTS** give developers the freedom to design the facades of houses and offices in a modern manner according to their wishes.


PROCESSING INFORMATION:



Beginning with the starter strip, laying from left to right



Pay attention to the aeration and ventilation



Structure with insulation depending on the insulation thickness

The **ZF ZIERER** facade elements are laid as external, rear-ventilated facade elements on an impregnated batten sub-structure. Pay attention to the aeration and expansion of the elements. Expansion per meter/per degree C 0.02 mm.

NOTE:

This laying information only contains general information regarding the processing of the **ZF ZIERER®** facade. The local conditions are decisive. Therefore, no legal claims may be made on the basis of the information provided. The goods must be examined for damage prior to assembly.



ZF ZIERER®-Fassaden GmbH
Postfach 1930, D-48580 Gronau, Hofkamp 20–22, D-48599 Gronau
Telefon 02565/4471-1009, Telefax 02565/1000
Internet www.zierer.de, email: info@zierer.de

ZF-ZIERER®-Fassaden GmbH
P.O. Box 1930, D-48580 Gronau, Hofkamp 20-22, D-48599 Gronau
Tel.: (+49 25 65) 44 71-10 09, Fax.: (+49 25 65) 10 00
Internet URL: www.zierer.de, Email: info@zierer.de



Bezug: Über den Fachhandel
Available: through the specialist retail trade